



Certificate issue date: 12/04/2015

Microbiological Test Results-Certificate of Analysis 15-21585

Customer	Nidaria Technology Ltd.	Telephone	04-6751943	Delivery date	06/04/2015
Contact person	נעמי דהאן	Email	naomi@nidaria.com	Test date	06/04/2015
Address	צמח עמק הירדן 15132	Sampled by	Client	Order number	551

Lab number	Sample description	Batch	Remarks	TAMC	TYMC
15-21585/001	Safe Sea SPF 0	L5023	NO VALIDATION	<10	<10
15-21585/002	Safe Sea SPF 15	L5024	NO VALIDATION	<10	<10
15-21585/003	Safe Sea SPF 40	L5022	NO VALIDATION	<10	<10
15-21585/004	Safe Sea SPF 40 SPRAY	L5021	NO VALIDATION	<10	<10
15-21585/005	Safe Sea SPF 50	L5026	NO VALIDATION	<10	<10
15-21585/006	Safe Sea SPF 50 KIDS	L5025	NO VALIDATION	<10	<10
Standard/method				USP <61>/ Ph.Eur2.6.12	USP <61>/ Ph.Eur2.6.12
Units				CFU/g	CFU/g
Specification *				<10 ²	<10 ¹
Accreditation/recognition				A B	A B



Certificate issue date: 12/04/2015

Accreditation/recognition:

The institute's quality system complies with ISO/IEC 17025 and follows written SOP

A. The laboratory is authorized to perform the test according to ISO/IEC 17025 by ISIRAC requirements

B. The laboratory is recognized by the Israeli Ministry of Health to perform the test.

C. The laboratory is certified by the Israeli Ministry of Health to perform the test according to GMP

(-) no accreditation, no recognition

This certificate is valid only when it is presented in its complete format, and it is not permitted to extract part for inclusion in any other document. The data presented, accurately expresses the results for the sample described above only. The laboratory's standards are traceable to national and international standards. ISIRAC is not responsible for the test results conducted by the institute, and the accreditation does not confirm the item tested. I hereby certify that this electronically generated certificate of analysis is authentic.

Pharmaceutical, Medical Devices and Cosmetics laboratories Manager: Hagar Zur, M.Sc.



: Institute Manager: Dr. Irit Weiser



****End of certificate of analysis****